

MATERIAL SAFETY DATA SHEET

LUMAWHITE DENTAL BLEACHING KIT

General Information

Company's Name: LumaLite, Inc.
In case of emergency, call 1-800-535-5053.
Outside of the United States, call collect 1-352-323-3500

Hazardous Ingredients Information

Ingredient: HYDROGEN PEROXIDE Percent: 35
NIOSH (RTECS) Number: MX0900000 CAS Number: 7722-84-1 OSHA PEL: 1.4 MG/CUM
ACGIH TLV: 1.4 MG/CUM Other Recommended Limit: 1 PPM
Other Ingredients: Non-crystalline silica, ethanol and proprietary trace elements.

Physical/Chemical Characteristics

Appearance And Odor: colorless paste w/ antiseptic odor.
Boiling Point: N/A Melting Point: N/A Solubility In Water: approx. 75%

Fire and Explosion Hazard Data

Flash Point: N/A Extinguishing Media: N/A.
Special Fire Fighting Proc: Safely cool w/water and remove container. Container containing clear liquid component may burst if overheated, releasing hydrogen peroxide bleach. Keep at a safe distance if container is warm.
Unusual fire and explosive hazards: Mix container must not be tightly closed after mixing kit ingredients, or the mixture could cause container to burst because it gradually releases oxygen gas. Do not put anything into the container with the clear liquid component -- this container should be poured out fully, then discarded. If the clear liquid component is not used with the other kit component, it should be poured into at least ten to twenty volumes of water for disposal.

Reactivity Data

Stability: YES Condition To Avoid (Stability): heat & sources of heat.
Materials to avoid: acids, bases, metals (long-term contact), salts of metals, reducing agents, organic materials (unless diluted with at least 10 - 20 volumes of water), and highly flammable substances.
Hazardous decomp products: oxygen, gas, heat, steam Hazardous polymerization may occur: no

Health Hazard Data

LD50-LC50 Mixture: ORAL LD50 (RAT): >1200 MG/KG Route Of Entry - Inhalation: YES, Skin: NO, Ingestion: YES
Health Hazard Acute And Chronic: Corrosive to mucous membrane eyes & skin. Inhalation: slight nose & throat irritation. Eyes: severe irritation & serious/permanent lesions. Skin: irritation & burns. Ingestion: Corrosive to GI tract, severe irritation, burns, throat edema & suffocation, chemical pneumonitis, pulmonary edema.
Carcinogenicity - NTP: NO, IARC: NO, OSHA: NO Explanation Carcinogenicity: NONE
Signs/Symptoms Of Overexposure: Temporary whitening and irritation of skin at contact area; eye watering and/or redness, swelling of eyelids; cough, sore throat, nosebleeds, chronic bronchitis, perforation of GI tract. In extreme overexposure: shock, nausea, bloody vomiting, difficulty breathing.
First aid: immediately flush w/running water for 15 mins. Administer an analgesic eyewash if needed. Ingestion: if conscious - rinse mouth & give fresh water. Don't induce vomiting. If unconscious - loosen collar & tight clothing. Give CPR/oxygen if needed.

Precautions for Safe Handling and Use

Steps If Material Released/Spill: avoid contact w/incompatible materials. Small spills: wipe up spill with towel or cloth, then immediately rinse the towel/cloth with lots of water. Large spills: dike around the spill and dilute with at least 10 - 20 volumes of water. Further dilute any discharge into sewer w/large amounts of water.
Waste Disposal Method: dispose of in accordance with federal, state & local regulations.
Corrosive un2014. Rera waste no: d001, d002.
Precautions-Handling/Storing: store in a ventilated, cool area. Keep away from heat sources. Keep in original packaging, closed.
Other precautions: never return clear liquid component to original container. Use only containers that are compatible w/bleach. Containers & equipment used to handle product should be used exclusively for that product.

Control Measures

Respiratory protection: use as needed. Wear a niosh approved full-face supplied air respirator for excessive concentrations.
Ventilation: local exhaust as needed. Protective gloves: polyvinyl chloride or rubber preferred. Eye protection: Chemical proof goggles or face shield as needed. Other protective equipment: as needed. Work hygienic practices: remove and launder contaminated clothing before reuse. Supplemental safety & health data: Special fire: Never approach containers which are warm. Obtain medical attention in all cases of exposure.

Label Data

Label Required: YES Common Name: HYDROGEN PEROXIDE, 35%
Special Hazard Precautions: Corrosive to mucous membrane, eyes & skin. Inhalation: slight nose & throat irritation. Eyes: severe irritation & serious/permanent lesions. Skin: irritation & burns. Ingestion: corrosive to GI tract, severe irritation, burns, throat edema & suffocation, chemical pneumonitis, pulmonary edema. Irritation, cough, sore throat, nose bleeds, chronic bronchitis, watering, redness, swelling of eyelids, temporary whitening of skin at contact area, paleness & cyanosis of face, perforation of GI tract, shock, bloating of stomach, belching, nausea, bloody vomiting, difficulty breathing.

Section 2 - Unit Dose Flour of Pumice

1. Identification of the Substance/Preparation and of the Company/Undertaking.

-
-
- Product Type: Oral cavity abrasive polishing agent
 - Trade Names: Pumice Preppies
 - Company: LumaLite, Inc.
2830 Via Orange Way, Ste B
Spring Valley, CA 91978
Emergency Telephone Number: (502)-637-1451
Fax Number: (502) 634-4512
-
-

2. Composition/Information on Ingredients.

Substance CAS No. Concentration, %

Pumice 1332-09-8 40-50%

Water 50-60%

Hygroscopic Binder <1%

3. Hazard Identification.

- No known health hazards
 - Abrasive compound, may cause irritation to skin or eyes
-
-

4. First-Aid Measures.

- Skin contact: Wash area thoroughly, use lotion for irritation
 - Eye contact: Flush with water, if irritation persists, contact physician
- Ingestion: None required.
5. Fire-Fighting Measures.
- Extinguishing Media: Packaging--Water, foam, dry chemical, carbon dioxide
 - Special Fire Fighting Methods: None
-
-

6. Accidental Release Measures.

- Method for clean up: Use soap and water.
-
-

7. Handling and Storage.

Handling: No special instructions.

Storage: Keep dry and kept at room temperature. Avoid prolonged exposure to excessive heat and cold.

8. Exposure Controls/Personal Protection.

- For personal protection, latex gloves and eye protection is recommended.
 - Respirator: Optional. None Required
-
-

9. Physical and Chemical Properties.

- Appearance Gray color paste
 - Vapor pressure (mmHg) Not Applicable
 - Vapor density (air=1) Not Applicable
 - Evaporation rate (Butyl Acetate=1) Not Applicable
 - Melting point Not Applicable
 - Specific gravity (water=1) 1.5
 - Flammability Unknown
 - Flash point degree C Does not support combustion
 - Solubility Soluble except for dental abrasives
-
-

10. Stability and Reactivity.

- Stability: Stable
 - Hazardous Polymerization: Will not occur
 - Conditions and Materials to Avoid: None
 - Hazardous Decomposition or Byproducts: None
-
-

11. Toxicological Information.

- Inhalation: Not toxic
 - Ingestion: Not toxic
 - Skin contact: Not toxic
 - Eye contact: Not toxic, may cause irritation
 - Carcinogenicity: Not listed as carcinogen by OSHA, NTP or TARC
-
-

12. Ecological Data.

- Biodegradability: Not Applicable
-
-

- Bioaccumulative: Not Applicable
 - Aquatic Toxicity: Not a toxic product
-
-

13. Disposal Considerations.

- Normal trash disposal
-
-

14. Transport Information.

- UN Number: None required

Air Transport: Not considered hazardous material

Sea Transport: Not considered hazardous material

Inland transport: Not considered hazardous material

15. Regulatory Information.

- Subject to the 93/42/EEC
-
-

16. Other Information.

- HMIS Rating: Health 0 Flammability 0 Reactivity 0 Special 0

Hazard: 4-Severe; 3-Serious; 2-Moderate; 1-Slight; 0-Minimum